# AP STATISTICS – UNIT 3 QUICK NOTES

### 1. Study Types

**Observational:** No treatment imposed, shows association only. Ex: survey on sleep & GPA.

**Experiment:** Treatments imposed, can show causation. Ex: assign study sessions & measure test scores.

Prospective: Follow subjects forward in time. Retrospective: Use past data/records.

Variables:  $\rightarrow$  Explanatory (factor) influences Response (outcome).  $\rightarrow$  Confounding: Related to both variables, distorts results.  $\rightarrow$  Lurking: Unmeasured but affects both.

#### 2. Sampling Methods

Goal: Representative sample for valid inferences.

SRS: Label all, use random method, choose matching individuals. Stratified: Split into strata (homogeneous groups), SRS in each. Improves precision. Cluster: Split into clusters (natural groups), randomly pick clusters, sample all in chosen clusters.

#### 3. Sampling Bias

Undercoverage: Missing population groups (e.g., landlines only). Voluntary Response: Strong opinions over-represented. Convenience: Easy-to-reach only. Question Wording: Leading/unclear phrasing. Response Bias: Inaccurate answers due to wording/interviewer/memory. Nonresponse: Selected individuals don't respond.

#### 4. Bias & Variability

Bias: Systematic over/underestimate. Variability: Spread of estimates. Unbiased estimator:  $E[\hat{\theta}] = \theta$ , e.g.  $\bar{x} \to \mu$ ,  $\hat{p} \to p$ .

#### 5. Experimental Design

**Principles:** Control, Random Assignment, Replication. **Factors:** Variables manipulated. **Levels:** Values of factors. **Treatments:** Combos of levels.

**Design Types:** • **CRD:** Assign all units to treatments at random. • **RBD:** Block by characteristic, randomize within blocks. • **Matched-Pairs:** Pair similar units; assign treatments within pairs (can be same subject pre/post).

Blinding: • Single: Subject or evaluator unaware. • Double: Both unaware. • Placebo Effect: Response to inert treatment.

#### 6. Inference Rules

Random Sampling
Inference to population
No RS  $\rightarrow$  can't generalize

Random Assignment
Inference for causation
No RA  $\rightarrow$  can't conclude causation

## 7. AP Tips

- Always state population & sampling frame.
- Detail random selection/assignment method.
- Address possible biases.
- For experiments: specify treatments, controls, blinding.