Introduction

Unit analysis converts one unit to another by multiplying by *conversion factors* that equal 1. At each step, the "old" unit *crosses out* with the same unit in the denominator. In this packet, you may assume no outside formulas are needed: every numerical equivalence you need appears either in a local Data Box or in the **Giant Master Table** at the end of this packet. Keep that table open while you work.

How to show your work (always include the units):

- 1. Write the given quantity with its unit.
- 2. Multiply by conversion factors written as fractions so that unwanted units cancel.
- 3. Continue until only the desired unit remains, then compute the number.

Example (with crosses): Converting 1 day to seconds

$$1 \operatorname{day} \times \frac{24 \operatorname{h}}{1 \operatorname{day}} \times \frac{60 \operatorname{min}}{1 \operatorname{h}} \times \frac{60 \operatorname{s}}{1 \operatorname{min}} = 86,400 \operatorname{s}.$$

Problems — Intermediate

I1. A car's fuel tank holds 12.5 US gal of gasoline. Using the *Data Box* energy density, convert this to kWh and BTU.

Plan. Convert gallons \rightarrow liters \rightarrow megajoules \rightarrow joules, then to kWh and BTU. Use the Data Box: gasoline $\approx 34.2\,\mathrm{MJ/L}$.

$$E(J) = \underbrace{12.5 \text{ gal}}_{given} \times \underbrace{\frac{3.78541 \text{ L}}{1 \text{ gal}}}_{given} \times \underbrace{\frac{34.2 \text{ MJ}}{1 \text{ L}}}_{34.2 \text{ MJ}} \times \underbrace{\frac{10^6 \text{ J}}{1 \text{ MJ}}}_{1 \text{ MJ}}$$

$$\approx 1.62 \times 10^9 \text{ J}.$$

To kWh:

$$1.62 \times 10^9 \,\mathrm{J} \times \frac{1 \,\mathrm{kWh}}{3.6 \times 10^6 \,\mathrm{J}} \ \approx \ 4.50 \times 10^2 \,\mathrm{kWh}.$$

To BTU:

$$1.62 \times 10^9 \,\mathrm{J} \times \frac{1\,\mathrm{BTU}}{1055.06\,J} \ pprox \ 1.53 \times 10^6 \,\mathrm{BTU}.$$

I2. Convert 1.85 atm to psi, kPa, and mmHg.

I3.	A laboratory recipe calls for $250\mathrm{mg}$ of glucose per dL of solution. Convert this to g/L and kg/m³.
I4.	Convert a flow rate of $3.25\mathrm{ft^3/min}$ to L/s.
I5.	A material is specified at $4.7\mathrm{oz/yd^2}$. Express this as $\mathrm{g/m^2}$.
I6.	An oil barrel is $42\mathrm{US}\mathrm{gal}$. How many cubic meters is 120 barrels?
17.	Convert $750\mathrm{mL}$ to $\mathrm{in^3}$ and $\mathrm{ft^3}$.
18.	A sample is labeled $1.5\mathrm{g/cm^3}$. Convert this to lb/ft ³ .
I 9.	A battery stores 85 Wh. Express this as kJ and BTU.
I10.	Convert $2.00\mathrm{eV}$ (per particle) into kJ/mol.

Problems — Advanced

A1. A drum of mercury is "55 gallons, full." Using the *Data Box* density, find the mass in kg and in tons (US short).

Plan. Convert volume (gal \rightarrow L \rightarrow cm³), multiply by density to get mass in g, then to kg and US short tons.

$$\begin{split} V(\mathrm{cm}^3) &= \underbrace{55\,\mathrm{gal}}_{\mathrm{given}} \times \underbrace{\frac{3.78541\,\mathrm{L}}{1\,\mathrm{gal}}}_{\mathrm{Jgal}} \times \underbrace{\frac{1000\,\mathrm{cm}^3}{1\,\mathrm{L}}}_{\mathrm{JL}} \\ &\approx 2.082 \times 10^5\,\mathrm{cm}^3. \end{split}$$

$$\begin{split} m(\mathrm{g}) &= V \; \times \; \rho = \left(2.082 \times 10^5 \, \mathrm{cm}^3\right) \times \frac{13.6 \, \mathrm{g}}{\mathrm{cm}^3} \; \approx \; 2.83 \times 10^6 \, \mathrm{g}. \\ \frac{2.83 \times 10^6 \, \mathrm{g}}{1000 \, \mathrm{g/kg}} &= 2.83 \times 10^3 \, \mathrm{kg}, \qquad 2.83 \times 10^3 \, \mathrm{kg} \times \frac{2.20462 \, \mathrm{lb}}{1 \, \mathrm{kg}} \times \frac{1 \, \mathrm{ton}}{2000 \, \mathrm{Jb}} \approx 3.12 \, \mathrm{ton}. \end{split}$$

A2. A nutrition label states 200 kcal per serving. Convert this to kJ, BTU, and kWh.

A3. A pressure gauge reads 36.5 psi. Express this pressure in Pa, kPa, bar, and atm.

A4. A material lists surface density 12.0 mg/cm². Convert to kg/m² and to oz/yd².

A5. A tank holds $2.40\,\mathrm{m}^3$ of ethanol. Using the *Data Box* energy density (30.0 MJ/L), estimate the energy content in GJ and MWh.

A6.	A radiation dose of $350\mathrm{mrad}$ is absorbed by a $70.0\mathrm{kg}$ patient. How many joules are absorbed?
A7.	A catalyst loading is specified as $0.75\mathrm{g}$ per $100\mathrm{cm^2}$. Express as $\mathrm{mg/in^2}$ and $\mathrm{kg/m^2}$.
A8.	A solution contains 0.250 mol/L sucrose. Using $Data\ Box$ molar mass, convert this to g/L and mg/mL.
A9.	A heating element is rated at $1.50\mathrm{kW}$. How many BTU does it deliver in $25.0\mathrm{min}$?
A10.	Express 7.80×10^{22} molecules of water as mol and as g.

Problems — Challenge (All Unit Chains)

C1. A refinery ships 1.25×10^6 bbl of diesel per month. Convert this to m^3/day and L/s. Plan. Barrels \rightarrow gal \rightarrow L \rightarrow m^3 ; then per day; then L/s.

$$\begin{split} \frac{m^3}{day} &= 1.25 \times 10^6 \, \mathrm{bbl} \times \frac{42 \, \mathrm{gal}}{1 \, \mathrm{bbl}} \times \frac{3.78541 \, \mathrm{L}}{1 \, \mathrm{gal}} \times \frac{1 \, \mathrm{m}^3}{1000 \, \mathrm{L}} \times \frac{1}{30 \, \mathrm{day}} \, \approx \, 6.62 \times 10^3 \, \frac{\mathrm{m}^3}{\mathrm{day}}. \\ \frac{L}{\mathrm{s}} &= 6.62 \times 10^6 \, \frac{\mathrm{L}}{\mathrm{day}} \times \frac{1 \, \mathrm{day}}{86400 \, \mathrm{s}} \, \approx \, 7.67 \times 10^1 \, \frac{\mathrm{L}}{\mathrm{s}} = 76.7 \, \mathrm{L/s}. \end{split}$$

C2. An electron beam deposits energy at 4.5 MeV per particle. Convert this to kJ/mol and to BTU/mol.

C3. A composite sheet is specified at $210 \,\mathrm{g/m^2}$. How many pounds does a $12 \,\mathrm{ft} \times 30 \,\mathrm{ft}$ sheet weigh?

C4. A solution has nitrate at 12.0 mg/L. What is this in ppm by mass assuming water density 1.00 kg/L?

C5. A powerplant output is $650\,\mathrm{MW}$. Express the daily energy production in GJ/day, MWh/day, and tons TNT/day.

C6.	A laboratory cylinder holds $3.75\mathrm{L}$ of dry wood chips (bulk). If the effective energy density is $4.0\mathrm{MJ/L}$ (voids included), find the energy in kWh and BTU.
C7.	A pipeline carries $2.20\mathrm{m}^3/\mathrm{min}$ of water. Convert this to US gal/s and ft ³ /h.
C8.	A pressure transducer outputs 0.875 bar. Report in atm, psi, and torr.
C9.	A sample of lead has volume $125\mathrm{cm}^3$. Using $Data\ Box$ density, find the mass in lb.

hotons
uming

C14. A	fertilizer states 46% N by mass. How many grams of nitrogen are in 25.0 lb of fertilizer?
	beverage contains 55 mg caffeine per 355 mL. Find mg/L, μ g/mL, and grains/gal (1 grain = 79891 mg).
C16. A	textile line runs at $120\mathrm{m/min}$. Convert to mph and to ft/s.
C17. A	light pulse spans 350 ns. Express its duration in light-meters and light-feet.

Unit Analysis — Giant Master Table

```
SI Prefixes (Name, Symbol, Factor)
pico p 10^{-12} nano n 10^{-9}
                                                                                                                     1 \text{ kg (kilogram)} = 1000 \text{ g (grams)}
                                                                                                                     1\,\mathrm{lb}\ (\mathrm{pound}) = 453.59237\,\mathrm{g}\ exact
micro \mu 10<sup>-6</sup>
                                                                                                                     1 \text{ oz (ounce)} = 28.3495 \text{ g}
^{
m milli} ^{
m m} 10^{-3}
                                                                                                                     1 \,\mathrm{t} (metric tonne) = 1000 \,\mathrm{kg}
\begin{array}{cccc} \text{centi} & \text{c} & 10^{-2} \\ \text{deci} & \text{d} & 10^{-1} \end{array}
                                                                                                                     1 \text{ ton (US short ton)} = 2000 \text{ lb}
                                                                                                                     1 \text{ u (atomic mass unit)} = 1.66054 \times 10^{-27} \text{ kg}
deka da 10^1
hecto h 10^2
                                                                                                                     Density
\begin{array}{cccc} \mathrm{kilo} & \mathrm{k} & 10^3 \\ \mathrm{mega} & \mathrm{M} & 10^6 \end{array}
                                                                                                                     Water (at 20^{\circ}C): 1.00 \text{ g/cm}^3 = 1000 \text{ kg/m}^3
giga G 10^9
         T 10^{12}
_{\rm tera}
                                                                                                                     1 \text{ atm (atmosphere)} = 101,325 \,\text{Pa (pascal)}
Time
                                                                                                                     1 \, \mathrm{atm} = 760 \, \mathrm{mmHg} (millimetres of mercury) \approx 760 \, \mathrm{torr}
60 \,\mathrm{s} \,\mathrm{(seconds)} = 1 \,\mathrm{min} \,\mathrm{(minute)}
                                                                                                                     1 \text{ atm} = 1.01325 \text{ bar (bar)}
60 \min \text{ (minutes)} = 1 \text{ h (hour)}
                                                                                                                     1\,\mathrm{psi} (pound-force per square inch) = 6894.76\,\mathrm{Pa}
24 \, \text{h} \, (\text{hours}) = 1 \, \text{day}
365 \, \mathrm{days} \approx 1 \, \mathrm{yr} \, (\mathrm{year})
                                                                                                                     1 \text{ J (joule)} = 1 \text{ N} \cdot \text{m (newton-metre)}
Length
                                                                                                                     1 \text{ cal (calorie)} = 4.184 \text{ J}; 1 \text{ kcal (kilocalorie)} = 4184 \text{ J}
1 \text{ in (inch)} = 2.54 \text{ cm (centimetre)} \ exact
                                                                                                                     1\,\mathrm{eV}\ (\mathrm{electronvolt}) = 1.602 \times 10^{-19}\,\mathrm{J}
12 \text{ in} = 1 \text{ ft (foot)}; 3 \text{ ft} = 1 \text{ yd (yard)}
                                                                                                                     1 \text{ kWh (kilowatt-hour)} = 3.6 \times 10^6 \text{ J}
5280 \, \text{ft} = 1 \, \text{mi} \, (\text{mile})
                                                                                                                     1 BTU (British thermal unit) \approx 1055.06 \,\mathrm{J}
1 \,\mathrm{km} \,\mathrm{(kilometre)} = 1000 \,\mathrm{m} \,\mathrm{(metre)}
                                                                                                                     1 \text{ ton TNT (ton of TNT)} = 4.184 \times 10^9 \text{ J}
1 \text{ Å (ångström)} = 10^{-10} \text{ m}; 1 \text{ nm (nanometre)} = 10^{-9} \text{ m}
1 \, \mu \text{m} \text{ (micrometre)} = 10^{-6} \, \text{m}
1 \, \mathrm{AU} \, (\mathrm{astronomical \, unit}) \approx 1.496 \times 10^{11} \, \mathrm{m}
                                                                                                                     Power
1 ly (light-year) \approx 9.46 \times 10^{15} m
                                                                                                                     1 \,\mathrm{W} \,\,\mathrm{(watt)} = 1 \,\mathrm{J/s}
                                                                                                                     1 hp (horsepower) \approx 746 \,\mathrm{W}
                                                                                                                     1 \,\mathrm{MW} \,\,(\mathrm{megawatt}) = 10^6 \,\mathrm{W}
1 \,\mathrm{m}^2 \approx 10.764 \,\mathrm{ft}^2 (square feet)
1 \, \mathrm{cm}^2 \approx 0.1550 \, \mathrm{in}^2 (square inches)
                                                                                                                     Radiation Dose
1 \, \text{acre} = 43,560 \, \text{ft}^2
                                                                                                                     1 \,\mathrm{Gy} \,\mathrm{(gray)} = 1 \,\mathrm{J/kg}
                                                                                                                     1 \operatorname{rad} (\operatorname{rad}) = 0.01 \operatorname{Gy}
Volume
1 L \text{ (litre)} = 1000 \text{ mL (millilitres)} = 1000 \text{ cm}^3 \text{ (cubic cm)}
                                                                                                                     Temperature (differences)
                                                                                                                     1 K (kelvin) = 1°C (degree Celsius) for differences only
1 \,\mathrm{m}^3 (cubic metre) = 1000 \,\mathrm{L}
1 \text{ in}^3 = 16.387 \text{ cm}^3
1\,{\rm ft^3} = 28.3168\,{\rm L}
                                                                                                                     Chemistry
1\,\mathrm{gal}\;(\mathrm{US}\;\mathrm{gallon}) = 231\,\mathrm{in}^3 \approx 3.78541\,\mathrm{L}
                                                                                                                     Avogadro's number N_A = 6.022 \times 10^{23} \,\mathrm{mol}^{-1} (per mole)
1 \text{ qt} = 0.94635 \text{ L}; 1 \text{ cup} = 236.588 \text{ mL}
1 \, \text{bbl (oil barrel)} = 42 \, \text{US gal}
                                                                                                                     Light-Travel
                                                                                                                     1 \text{ light-second} = 2.998 \times 10^8 \text{ m}
                                                                                                                     1 \text{ light-minute} = 60 \text{ light-seconds}; 1 \text{ light-hour} = 60 \text{ light-minutes}
                                                                                                                     Data Boxes (Reference Properties)
                                                                                                                     Energy densities (approx.)
                                                                                                                     Gasoline 34.2\,\mathrm{MJ/L}; Ethanol 30.0\,\mathrm{MJ/L}
                                                                                                                     Dry wood 16\,\mathrm{MJ/kg}; Coal 24\,\mathrm{MJ/kg}
                                                                                                                     Diesel 35.8 MJ/L
                                                                                                                     Miscellaneous
                                                                                                                     Sucrose M = 342.30 \,\mathrm{g/mol}; Glucose M = 180.16 \,\mathrm{g/mol}
                                                                                                                     Air density (when cited) 1.20 kg/m<sup>3</sup>
                                                                                                                     Mercury 13.6\,\mathrm{g/cm^3}; Lead 11.34\,\mathrm{g/cm^3}
```

(Optional) Quick Physics Primer for the Curious

- 1) Dimensions vs. Units. A dimension describes the type of quantity (length L, mass M, time T, amount N, etc.). A unit is a specific choice for measuring it (metre, foot, second, ...). Dimensional analysis checks that both sides of an equation have the same dimensions.
- 2) Common derived SI units (from the table).
 - Force (newton): $1 \text{ N} = 1 \text{ kg} \cdot \text{m/s}^2$.
 - Pressure (pascal): $1 \text{ Pa} = 1 \text{ N/m}^2$.
 - Energy (joule): $1 J = 1 N \cdot m = 1 kg \cdot m^2/s^2$.
 - Power (watt): 1 W = 1 J/s.

These connections explain why, for example, $1 \text{ kWh} = 3.6 \times 10^6 \text{ J}$ (power × time gives energy).

- 3) Energy vs. Power. Energy is "how much" (tank size); power is "how fast" (flow rate). A $1.50\,\mathrm{kW}$ heater uses power; over $25.0\,\mathrm{minutes}$ it delivers energy $E=P\Delta t$.
- 4) Density and surface/areal density. Bulk density uses volume (e.g. g/cm^3); areal density uses area (e.g. g/m^2). Converting $mg/cm^2 \rightarrow kg/m^2$ multiplies by 10^4 (for area) and divides by 10^6 (for $mg\rightarrow kg$).
- 5) Chemistry essentials. One mole contains $N_A = 6.022 \times 10^{23}$ particles. Molar mass (e.g. sucrose $342.30 \,\mathrm{g/mol}$) converts between moles and grams. Concentrations like mol/L or mg/L are just ratios with units.
- 6) Electronvolts. $1 \text{ eV} = 1.602 \times 10^{-19} \text{ J}$. It's handy for tiny energies per particle; multiply by Avogadro's number to get energy per mole.
- 7) Radiation dose. A gray (Gy) is energy per mass: $1 \, \mathrm{Gy} = 1 \, \mathrm{J/kg}$. The older unit rad satisfies $1 \, \mathrm{rad} = 0.01 \, \mathrm{Gy}$.
- 8) Light-travel distance. A light-year is how far light goes in a year; a light-minute is how far in a minute. Converting between "light-time" units and metres uses the table's light-second plus time conversions.
- 9) ppm intuition. For water-like densities, $1 \,\mathrm{mg/L} = 1 \,\mathrm{mg/kg} = 1 \,\mathrm{ppm}$ (by mass). That's why mg/L often equals ppm in dilute aqueous solutions.
- 10) Significant figures. Match your answer's precision to the given data (usually 2–3 significant figures in these problems). Keep extra digits in intermediate steps and round at the end.